

EKL AG | Nadlerstraße 8 - 10 | 88299 Leutkirch im Allgäu Tel: +49 (0)7561 9837-0 | info@ekl-ag.de www.ekl-ag.de



# 21916

for INTEL® Socket 775, 115X, 1200 up to 84W TDP

## Gigantic cooling performance for INTEL® processors

#### Product description

Thanks to its low height of just 30mm, the EKL 21916 is ideal for compact PC systems manufactured as small form factor. Especially in this size range, it is often difficult to procure a powerful and quiet CPU cooler.

The EKL 21916 masters both characteristics with flying colours. The combination of an aluminium profile with a pressed-in copper core and a PWM-controlled fan guarantees quiet and extremely effective heat dissipation.

#### Main features

- Simple Intel ref. push-pin mounting
- Dual mounting system for Intel Socket 775 / 115X
- Aluminium heat sink with copper core Ø
- High-performance thermal paste
- Quiet PWM-controlled fan

#### Advice & ordering:

**1** +49 (0)7561 9837-0







# 21916 Technical data





### Cooler properties

DP ium + copper
iium + copper
® Socket 775
® Socket 115X
® Socket 1200
(


### Fan properties


Height	15.5 mm
Diameter	75.5 mm
Speed min.	500 U/min
Speed max.	2700 U/min
Warehouse	Ball/slide bearing
Operating voltage	12 VDC
Volume flow	52.57 m³/h
Noise level min.	21 dB(A)
Noise level max.	35 dB(A)
Service life L10	40000 h by 40 °C



www.ekl-ag.de

## 21916 Dimensions







www.ekl-ag.de

